Customized, Cost-Efficient Comfort

YORK® MINI-SPLIT SYSTEMS







FIT MORE COMFORT INTO MORE PLACES

Space-saving, energy-saving **YORK® P Series** mini-split single-zone air conditioners and heat pumps are the perfect comfort solution for room additions, remodels, and other spaces. They eliminate the cost and hassle of installing ducts and let you dial in the exact temperature and humidity you need.

A sound investment

Superb energy savings. Ductless mini-split systems deliver just the right amount of heating and cooling to the space, using no more energy than necessary. With efficiency ratings among the industry's highest, they can save up to 30 percent over typical central air conditioning systems.

A breeze to install. You can use the same wiring as your regular household devices and appliances, saving installation costs and limiting disruption of your home.

Right at home in your home

Convenient control. Choose a wireless remote or wall-mounted zone controller. With a "comfortable sleep" mode and a timer function, you can easily set temperatures by time of day.

Cozy all winter. Mini-split heat pumps offer "cold blow" prevention: The fan is delayed slightly at the start of each cycle to make sure the air always comes out warm.

Comfort at your fingertips. An optional "I Feel" function on the wireless remote "tells" the indoor unit the temperature at the remote control, optimizing room comfort.

Easy on the ears and eyes. Conditioned air is delivered whisper-quiet. Slim-profile heating/cooling units look great; compact size lets them fit in perfectly.



P Series Indoor Unit and Control Options

115V 9K-12K BTU/h OR 208/230V 9K-36K BTU/h INVERTER DRIVEN HEAT PUMPS AND COOLING ONLY SYSTEMS

	Controllers					
Indoor Unit Options	72° a WiFi	Wireless Remote Controller (DRCPX)	Wired Zone Controller (DWCPX2)	Wired Zone Controller (DWUNI)		
Wall-Mounted Unit	Adapter CS532AH required	Standard	Optional	Optional		



CHOOSE THE PERFECT SOLUTION

Your YORK® Mini-Split System includes an outdoor unit that delivers refrigerant to an indoor unit in your chosen room. The indoor unit then supplies heated or cooled air in only the amount needed to keep the room temperature you set. Ductless minisplits are ideal substitutes for bulky, noisy window air conditioners. They are especially well-suited for:

Older homes. Add heating or cooling in a chosen space without altering architectural details or special design elements.

Additions. Heat or cool a new space without a costly upgrade to an existing system. Absence of ducts gives you more design freedom and saves money.

Problem rooms. Cost-effectively turn consistently too-warm or too-cool rooms into cozy, comfortable spaces.

Attics and garages. Add living spaces at an affordable cost with minimal disruption. Heat and cool the space only when in use.

Single room:

Choose a single-zone mini-split system for individualized comfort.



Room addition



YOUR CERTIFIED COMFORT EXPERT

Your YORK® dealer is a home comfort professional, trained to help you select the YORK Mini-Split System that fits your home exactly. Our Certified Comfort Expert™ (CCE) Dealers are part of a national network of independent businesses with proven records of success in providing complete customer satisfaction.

Satisfaction Guaranteed

Working with a YORK CCE Dealer means your mini-split system is backed with a 100% Satisfaction Money-Back Guarantee. After installation, your dealer will be there with dependable service to make sure your system keeps working perfectly.

YORK® P Series Mini-Split Single-Zone Air Conditioners and Heat Pumps											
Outdoor Unit	Indoor Unit	System Type	Indoor Type	SEER	EER	HSPF	Rated Cooling	Rated Heating	Voltage		
DHP09CSB11S	DHP09NWB11S	Heat Pump	Wall mount	16	9.55	9	9000	9600	115V - 1ph		
DHP09CSB21S	DHP09NWB21S	Heat Pump	Wall mount	16	10	9	9000	9500	208V - 1ph		
DHP12CSB11S	DHP12NWB11S	Heat Pump	Wall mount	16	10.55	9	12000	13000	115V - 1ph		
DHP12CSB21S	DHP12NWB21S	Heat Pump	Wall mount	16	9.25	9	12000	13000	208V - 1ph		
DHP18CSB21S	DHP18NWB21S	Heat Pump	Wall mount	16	9	9	18000	19000	208V - 1ph		
DHP24CSB21S	DHP24NWB21S	Heat Pump	Wall mount	16	9.75	9	22000	23000	208V - 1ph		
DHP30CSB21S	DHP30NWB21S	Heat Pump	Wall mount	18	10.35	9	28000	28400	208V - 1ph		
DHP36CSB21S	DHP36NWB21S	Heat Pump	Wall mount	18	8.2	9	33600	34600	208V - 1ph		
DCP09CSB11S	DCP09NWB11S	Air Conditioner	Wall mount	16	9.55	-	9000	-	115V - 1ph		
DCP09CSB21S	DCP09NWB21S	Air Conditioner	Wall mount	16	10	-	9000	-	208V - 1ph		
DCP12CSB11S	DCP12NWB11S	Air Conditioner	Wall mount	16	10.55	-	12000	-	115V - 1ph		
DCP12CSB21S	DCP12NWB21S	Air Conditioner	Wall mount	16	9.25	-	12000	-	208V - 1ph		
DCP18CSB21S	DCP18NWB21S	Air Conditioner	Wall mount	16	9.5	-	18000	-	208V - 1ph		
DCP24CSB21S	DCP24NWB21S	Air Conditioner	Wall mount	16	9.75	-	22000	-	208V - 1ph		
DCP30CSB21S	DCP30NWB21S	Air Conditioner	Wall mount	18	10.35	-	28000	-	208V - 1ph		
DCP36CSB21S	DCP36NWB21S	Air Conditioner	Wall mount	18	8.2	-	33600	-	208V - 1ph		





Standard:7 year compressor /
5 year parts





Extended Warranty:

10 year compressor / 10 year parts Requires registration on HVACNavigator.com. Available for installations in residential applications at no additional cost.







Extended Warranty with Labor:

10 year compressor / 10 year parts / 10 year labor Requires registration on HVACNavigator.com and purchase of warranty upgrade. Available for installations in residential applications.







Industry certified

YORK® Mini-Split Systems are Intertek ETL Listed (Canada & USA), signifying that they comply with the standard of Heating and Cooling Equipment (ANS/I/UL 1995 and CAN/CSA C22.2 No. 236-11, 4th Edition, October 14, 2011). The systems are also certified by the Air Conditioning, Heating & Refrigeration Institute.



